Application/Control Number: 10/616,547

Art Unit: 2192

Examiners Amendment

1. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Roy W. Truelson registration no. 34,265, on March 11, 2008 to fix improper claim

dependency.

The application has been amended as follows:

IN THE CLAIMS

Claim 10 (Currently Amended)

On line 1 after "claim" delete "10" and insert 9

Page 2

Application/Control Number: 10/616,547 Page 3

Art Unit: 2192

Correspondence Information

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Chuck Kendall whose telephone number is 571-

2723698. The examiner can normally be reached on 10:00 am - 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Tuan Dam can be reached on 571-2723695. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

/Chuck O Kendall/

Examiner, Art Unit 2192